



Master Fluid
SOLUTIONS™

*Improve Performance, Streamline
Production, Enhance Profitability*




INNOVATIONS
FOR LONGER SUMP
AND TOOL LIFE

Achieve cutting edge production with TRIM™ cutting and grinding fluids

- > significantly reduces fluid and tool costs
- > reduces downtime and labor
- > lowers disposal costs
- > assures code compliance
- > excellent operator acceptance
- > a safer workplace for employees
- > immediate savings to the bottom line

TRIM™ metalworking fluids



	TRIM Product	Product Characteristics
Microemulsions	TRIM™ MicroSol™ 690XT <i>High-lubricity, Low-foam Premium Semisynthetic</i>	Ultimate lubricity. Robust stability package for long life. Exceptional foam control. Excellent environmental and regulatory profile. Boron free and nonchlorinated. Multi-metal compatible.
	TRIM™ MicroSol™ 590XT <i>NEW! Advanced Technology Aerospace Semisynthetic</i>	Specifically designed for aerospace; protects sensitive alloys from surface stains and corrosion. Maximum lubricity. Unsurpassed sump life and foam control. No boron or DCHA, nonchlorinated, needs no tankside additives.
	TRIM™ MicroSol™ 585XT <i>Extended-life, Nonchlorinated Semisynthetic</i>	Extended-life, high-lubricity, microemulsion coolant delivers excellent cooling and mechanical lubricity. Well suited for machining and grinding gray iron, mixed metal situations, titanium and aluminum alloys.
	TRIM™ MicroSol™ 455 <i>NEW!</i> <i>Low-foam Ferrous Semisynthetic</i>	Low-foam semisynthetic, microemulsion for high-volume cast iron, ferrous, and some aluminum and nonferrous metalworking. Prevents leaching of elemental iron. Eliminates clinkering and oxidation of ferrous micro fines.
Emulsions	TRIM™ E950 <i>High Performance Machining Emulsion</i>	Extremely high-performance but clean running emulsion product for the toughest applications. Very low foam even in soft water. Fully approved by Rolls-Royce.
	TRIM™ E925 <i>Chlorine-free, High-performance Emulsion</i> <i>NEW!</i>	Superior finish on aerospace titanium and aluminum alloys, exotics, stainless, and high tensile strength steels. Exceptional performance and sump life with more lubricity to the point-of-cut. Nonchlorinated.
	TRIM™ E709 <i>Long-life Emulsion</i>	High-quality, universal soluble oil requires minimal maintenance in the most demanding fluid management systems. For tough machining and grinding jobs and high-quality, consistent parts manufacturing.
	TRIM SOL™ <i>General-purpose Emulsion</i>	General-purpose multi-metal soluble oil coolant for general machining of ferrous and nonferrous materials. For heavy-duty machining center work and high-speed turning and grinding operations.
	TRIM SOL™ LC sf <i>General-purpose Emulsion, Nonchlorinated, Siloxane Free</i>	Nonchlorinated, siloxane free, general-purpose multi-metal soluble oil coolant for general machining of ferrous and nonferrous materials. For heavy-duty machining center work and high-speed turning and grinding operations.
Semi-Synthetics	TRIM™ SC9030 <i>High-lubricity Semisynthetic</i>	Provides the cooling, rust inhibition, and wetting of a premium synthetic with the mechanical lubricity and machine "friendliness" of a soluble oil. For general high-speed machining and grinding of all materials.
	TRIM™ SC310 <i>High-oil Semisynthetic</i>	Highly versatile high-oil semisynthetic for machining/grinding a very wide range of materials.
Synthetics	TRIM™ C350 <i>Premium, High-lubricity Synthetic</i>	Longer tool life, less residual stress on machined parts. PRTR compliant; free of chlorine, phenol, nitrite, copper, triazine, silicone; NO NPE or SARA 313 chemistry. Rust protection on aluminum, titanium, nickel, and steel alloys.
	TRIM™ C270 <i>High-performance Synthetic</i>	Synthetic coolant concentrate operates at very high fluid pressures and volumes with little or no foam. Very stable formula, exceedingly long operational life with consistent performance. Nonchlorinated.



*Rely on hard-working
Master STAGES™ to clean and protect*

- > spray, immersion, or ultrasonic parts cleaning
- > multi-metal operations
- > metalworking fluid removal
- > cleaners with built-in and water-based RP's
- > vibratory finishing
- > reduce disposal costs
- > immediate savings to the bottom line

Master STAGES™ cleaners



	Master STAGES Product	Product Characteristics
Parts Cleaners	Master STAGES™ CLEAN 2020 <i>Washing Compound for Ultrasonic and Immersion Washers</i>	Very fast cleaning even at energy-saving low temperatures. Good oil splitting; built-in RP. Phosphatefree.
	Master STAGES™ CLEAN 2029 <i>"One Step" Parts Washing Fluid with Corrosion Inhibitor</i>	High detergent, low foam, and good in-process rust prevention with just "One Step." Mild pH for a safer work environment. Use at 3%-5% and 120°F-180°F (49°C-82°C) for best results and lowest foam.
	Master STAGES™ CLEAN 2115AL <i>Low-foam Spray Washing Compound</i>	Aluminum-compatible, high-performance, low-foam synthetic washing compound; for very high-pressure spray washers, de-burring, and water jet cutting. Exceptional sump life, foam control, and tramp oil rejection.
	Master STAGES™ CLEAN 3011 <i>Residue-free, Multi-metal Cleaner</i>	Concentrated washing compound/corrosion inhibitor. No foam at room temperature in high-pressure spray washers. Removes light oils, water soluble cutting and grinding fluid residues. Leaves thin rust-inhibiting film.
Corrosion Inhibitors	Master STAGES™ RPO 12 <i>Long-term Corrosion Inhibitor</i>	Long-term, indoor rust preventative with a soft waxy film. Compatible with all metals and can be applied by dip, spray, or brush-on methods. Film thickness approximately eight microns.
	Master STAGES™ NOCOR™ E6 <i>Low V.O.C. Emulsion, Corrosion Inhibitor Concentrate</i>	Super-concentrated, barium-free, water-based emulsion protects steel and ferrous metals for up to six months indoors at dilutions of 4%-16%. Low V.O.C., economical. Moderate pH, very low odor, and nonflammable.
	Master STAGES™ NOCOR™ S2 <i>Water-soluble Corrosion Inhibitor</i>	Use NOCOR S2 at 3%-7% in water for up to two months indoor rust prevention. Barium free, low V.O.C., and economical to use. Can be used in rinse stage of parts washers.
Maintenance Cleaners	Master STAGES™ Whamex™ <i>Machine Tool Sump and System Cleaner</i>	Safe, fast-acting concentrated formula saves machine cleaning downtime while removing the oily residues, scums, and insoluble soap deposits that reduce coolant life. For use with emulsions and semisynthetics.
	Master STAGES™ Task2™ Grime Fighter	Super-concentrated, industrial strength cleaner/degreaser. NO butyl, caustic, silicate, phosphate, nitrite, phenol, or borate. Safe on all metals. Full strength or dilute up to 100:1. Certified "Readily Biodegradable" by OECD. Pratt Whitney Aerospace Approval PMC 1247-1. Handy spray bottle.
	Master STAGES™ Task2™ All Purpose Cleaner	Removes heavy, oily, or greasy soils from all common surfaces. NO butyl, caustic, silicate, phosphate, nitrite, phenol, or borate. Safe on all metals. Use full strength or dilute. Certified "Readily Biodegradable" by OECD. Pratt Whitney Aerospace Approval PMC 1455-11. Handy spray bottle.
	Master STAGES™ Task2™ Glass Cleaner	Cuts through tough shop soils to clean glass, ceramics, stainless steel, chrome, and plastic surfaces. Free of butyl, caustic, silicate, phosphate, nitrite, phenol, or borate. Safe on all metals. Pratt Whitney Aerospace Approval PMC 1406-41. Handy 1-quart spray bottle.



Reduce costs dramatically with XYBEX® fluid recycling equipment

- > significantly reduces coolant usage
- > reduces downtime, repair costs, and labor
- > greatly reduces disposal fees
- > easily pays for itself with cost savings

XYBEX® fluid recycling equipment



Customers who recycle their fluids realize a 40%–80% reduction in coolant and fluid purchases.



230VAC Electric Yellow Bellied Sump Sucker™
Cleans virtually any machine tool sump quickly by filtering sludge and chips from coolant. Available in multiple configurations, sizes, and power sources.



Drum Top Sump Cleaner™
Economical vacuum unit which converts an existing open-top drum into a powerful machine tool sump cleaner.



SCROUNGER™ Jr. Oil Skimmer
Effectively removes troublesome tramp oil from coolant for longer sump and tool life, better surface finish, and cleaner machines and workplace.



UNIMIX™
Water-driven, positive displacement proportioner dispenses coolant concentration on demand. Option for alkaline parts washing.



MCC Reversible LIQUI-VAC™
Sucks up tramp oils, used oils, and waste coolants— fast and simple. Can discharge fluids from drum to a separate container.



Mini Dos
Compact, low- to mid-flow, fluid-driven proportional injector. Segregates harsh chemicals from critical internal components.



The Whammer™
Durable, low-cost dispenser for Master STAGES™ maintenance cleaners produces foaming stream for cleaning machine tools or large clean-in-place parts.



Palm Abbe® Digital Refractometer
For fast, accurate, laboratory-precision readings in degrees Brix. Self-calibrating to water, ready to use in seconds. Easy-to-read display.



Refractometer
Optical refractometer for quick fluid sample readings.

Contact us

Let us create a detailed, fact-based, customized analysis to prove just how much we can save your operation in time, material, and cost, while improving quality, with the premium coolant just right for your production.

For prices or additional information, contact your Master Fluid Solutions Representative.



www.masterfluidsolutions.com/in/en-in/



©2019 Master Fluid Solutions. XYBEX® is a registered trademark of Master Chemical Corporation d/b/a Master Fluid Solutions. 230VAC Electric Yellow Bellied Sump Sucker™, Drum Top Sump Cleaner™, Master STAGES™, MCC Reversible LIQUI-VAC™, MicroSol™, NOCOR™, SCROUNGER™, Task2™, The Whammer™, TRIM™, TRIM SOL™, UNIMIX™, and Whamex™ are trademarks of Master Chemical Corporation d/b/a Master Fluid Solutions.
2019-09-05